



# 8D CORRECTIVE ACTION REPORT

Company Name	Date	PI/PO No.	Item No.	Failure Quantity	Production Code (printed on the jacket of light)
科利尔企业 (勿动)	2022-11-11 22:36:40		C-FR-F22	2	C-FR-F22

## 1. Defects Description

1.1 What was the problem?	1.2 Could you describe more about the failure phenomena and send us some pictures or videos?
Light body defect	this is a nother test

1.3 When did the problem/error occur after installation?	1.4 Did you light up to test the products before operation or installation?
Within 1 week	Yes

## 2. Installation Environment

2.1 City of installation	2.2 The min. and max. environment temperature	2.3 Indoor or outdoor installation	2.4 Installation place
CHINA	30		

## 3. Product Information

3.1 What connector (s) was (were) used?	3.2 Who assembled the connectors?	3.3 What mounting profile was used?	3.4 What installation way (s) is (are) taken?
Snap connector	CLEAR	Self-lock aluminum profile Ver 1.0	Surface-mount

Other connector, please describe here

Other installation, please describe here

## 4. Additional Comments

The following is filled by CLEAR

### I Emergent Group Forms

Emergency Team Leader:  
Emergency Team Members:

### II Interim Containment Actions

### III Root Cause of Defective

### IV Corrective Action

### V Verification

### VI Preventive Action and standardize

### VII Communicate Results & Recognize Team

Close Date	Reviewed by	Approved By
------------	-------------	-------------